

Contribution ID : 15 Type : Talk

Operation status and future plan of the SRF module at NSRRC

Wednesday, 12 April 2023 16:40 (20)

NSRRC in Taiwan houses two light sources: Taiwan Light Source (TLS) and Taiwan Photon Source (TPS). TLS has an electron energy of 1.5 GeV and a beam current of 360 mA, while TPS has an electron energy of 3.0 GeV and a beam current of 500 mA. Both light sources use SRF modules as their accelerating cavities. These SRF modules have been in operation for approximately 18 and 7 years for TLS and TPS, respectively. In this report, we will present the current operation status of these SRF modules, as well as the future plans for the SRF modules in TPS.

Speaker's Name

Zong-Kai Liu

Speaker's Title

Dr.

Speaker's Gender

Man

Speaker's Pronouns

Speaker's Preferred name (if any)

Primary author(s): Dr WANG, Chaoen (National Synchrotron Radiation Research Center); Dr LO, Chih-Hung (National Synchrotron Radiation Research Center); Mr CHUNG, Fu-Tsai (National Synchrotron Radiation Research Center); Mr CHEN, Ling-Jhen (National Synchrotron Radiation Research Center); Dr CHANG, Mei-Hsia (National Synchrotron Radiation Research Center); Mr YEH, Meng-Shu (National Synchrotron Radiation Research Center); LIN, Ming-Chyuan (National Synchrotron Radiation Research Center); Mr LI, Yi-Ta (National Synchrotron Radiation Research Center); Dr LIU, Zong-Kai (National Synchrotron Radiation Research Center)

Presenter(s): Dr LIU, Zong-Kai (National Synchrotron Radiation Research Center)

Session Classification: Room 3 (Geoff Opat Seminar Room)

Track Classification: WG7: Cryogenics, cryomodule and superconducting technology for accelera-

tors