



Contribution ID : 37

Type : not specified

## Hydrates under pressure – new insights from sulfuric acid hydrates

*Thursday, 4 February 2016 11:45 (15)*

Hydrates are a rich and diverse class of materials that display a wide range of structures and properties – a feature that is only exaggerated when they are subjected to high-pressures. Consequently, these have implications on our understanding of many outer solar system bodies, where hydrates are amongst the dominant materials found there.

For Europa and Ganymede, two moons under intense investigation from past and future space missions, their surfaces seen to be mostly water-ice and hydrates. Despite the apparent ‘simplicity’ of these materials, we still observe very complex geological formations on these moons – including subduction [1]. Hence, we need to understand the transformations of candidate surface materials under a range of pressure/temperature conditions in order to accurately explain the formations on these icy surfaces.

One hydrate candidate material for the surfaces of these moons are sulfuric acid hydrates, formed from radiolytic sulfur (from Io) reacting with the surface ice. Sulfuric acid hydrates have already been established to have a complex phase diagram with composition [2].

We have now used the Mito cell [3] at the PLANET instrument [4] to undertake the first investigation of the high-pressure behavior of the water rich sulfuric acid hydrates. Compressing at 100 K and 180 K we see that the hemitriskaidekahydrate becomes the stable water-rich hydrate and observe some interesting relaxation behaviour in this material at pressure, which could have significant consequences for the interiors of Ganymede.

1. Kattenhorn, S.A. and L.M. Prockter, Evidence for subduction in the ice shell of Europa. *Nature Geosci*, 2014. 7(10): p. 762-767.
2. Maynard-Casely, H.E., H.E.A. Brand, and K.S. Wallwork, Phase relations between the water-rich sulfuric acid hydrates, potential markers of thermal history on Jupiter’s icy moons. *Icarus*, 2014. 238(0): p. 59-65.
3. Komatsu, K., et al., Development of a new P–T controlling system for neutron-scattering experiments. *High Pressure Research*, 2013. 33(1): p. 208-213.
4. Hattori, T., et al., Design and performance of high-pressure PLANET beamline at pulsed neutron source at J-PARC. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 2015. 780(0): p. 55-67.

**Primary author(s) :** Dr MAYNARD-CASELY, Helen (Australian Nuclear Science and Technology Organisation)

**Co-author(s) :** Dr SANO-FURUKAWA, Asami (J-PARC Center, Japan Atomic Energy Agency, Tokai, Japan); Dr KOMATSU, Kazuki (Geochemical Reserach Centre, University of Tokyo, Japan); Dr MACHIDA, Shinichi (Comprehensive Research Organization for Science and Society, Japan); Dr HATTORI, Takanori (J-PARC Center, Japan Atomic Energy Agency, Tokai, Japan)

**Presenter(s) :** Dr MAYNARD-CASELY, Helen (Australian Nuclear Science and Technology Organisation)

**Session Classification :** Contributed talk