MRS2017 - Scientific Basis for Nuclear Waste Management Symposium 2017



Contribution ID : 13

Type : Oral Presentation

A New Method for Production of Glass-Y2Ti2O7 Pyrochlore

Wednesday, 1 November 2017 14:15 (15)

The actinide immobilisation research group at ANSTO has been investigating pyrochlore glass-ceramics for plutonium immobilisation. A novel method of glass ceramic preparation via a soft chemistry route has been designed recently. Significant advantages over a more traditional mixed oxide route include removal of the need for an organic solvent in synthesis and milling steps, and product devoid of potentially deficient minor phases. Glass-Y2Ti2O7 pyrochlore was fabricated by sintering the mixture of glass precursor powder and (YTi)-composite prepared by a soft chemistry route. XRD and Raman confirmed phase pure pyrochlore crystallized in-situ in amorphous glass matrix at 12000C. Pyrochlore formation in glass was independent of cooling rates and addition of metal fluorides. Glass matrix was able to accommodate/dissolve small amounts of impurities and the mean pyrochlore particle size was between 1 and 2 µm in glass.

Summary

Primary author(s): Dr KONG, Linggen (Australian Nuclear Science and Technology Organisation)

Co-author(s) : Dr KARATCHEVTSEVA, Inna (Australian Nuclear Science and Technology Organisation); Dr ZHANG, Yingjie (Australian Nuclear Science and Technology Organisation)

Presenter(s): Dr KONG, Linggen (Australian Nuclear Science and Technology Organisation)

Session Classification : Ceramic and Glass-Ceramic Wasteforms

Track Classification: National and international collaborative waste management programs