



Contribution ID : 42

Type : Oral Presentation

Effects of Li, Ca, Fe, and B on NaAlSiO₄ nepheline crystallization in high level waste glasses

Tuesday, 31 October 2017 12:00 (15)

Owing to high concentrations of Al₂O₃ from dissolved fuel cladding and Na₂O from basification of the waste, about half of the high-level waste by volume at Hanford, Washington, USA is rich in both Na and Al. Formulations of high waste-loading glasses result in lower amounts of SiO₂, which often leads to undesirable precipitation of nepheline (NaAlSiO₄). Nepheline crystallization can be affected by modifiers (Li, Ca) added to lower viscosity and improve electrical conductivity of the melt. Also, B is frequently added to reduce viscosity, and Fe is present in varying amounts from steel tank corrosion. Given the existence of various natural minerals of the stoichiometries (Na,Li,Ca_{0.5})(Al,Fe,B)SiO₄, we sought to study the effects of substitution in the stoichiometric nepheline glass on the resulting crystallization. We summarize here several years of work, including characterization by nuclear magnetic resonance, vibrating sample magnetometry, Raman spectroscopy, thermal analysis, x-ray diffraction, electron microscopy, and electron microprobe.

Summary

Primary author(s) : Prof. MCCLOY, John (Washington State University)

Co-author(s) : Mr DESHKAR, Ambar (Rutgers University); Prof. GOEL, Ashutosh (Rutgers University); Mr MARCIAL, Jose (Washington State University); Mr AHMADZADEH, Mostafa (Washington State University); Mr SHAHARYAR, Yaquoot (Rutgers University)

Presenter(s) : Prof. MCCLOY, John (Washington State University)

Session Classification : Glass Wasteforms

Track Classification : National and international collaborative waste management programs